








Technical drawing showing a 1/2 inch NPT female port (left) connected to a 1/2 inch NPT male port (right). The drawing illustrates the internal and external threads of the ports.



		SYM		REVISION		BY DATE		APVD							
		BY		DATE		<div><div>222 WEST MEMORIAL ROAD OKLAHOMA CITY, OK 73114 TEL: 405.755.1600 FAX: 405.755.8425 WWW.MAXCESSINTL.COM</div></div> <div></div>									
		DRAWN BP		03/02/15											
		CHECKED LZ		03/03/15											
		APPROVED LZ		03/03/15											
DRAWING REFERENCE				NUMBER		TITLE MAGPOWER OUTLINE DIMENSION DRAWING CANTILEVERED LOAD CELL MODEL CL2250-EC12MS1 SIZE 2, 250 KG									
UNLESS OTHERWISE SPECIFIED		This drawing is the property of FIFE CORPORATION. It is loaned with the understanding that it may not be reproduced nor may the information contained herein be used for the making of drawings or for manufacturing purposes without the written consent of FIFE CORPORATION.													
GENERAL TOLERANCES: ISO 2768-mk GEOMETRICAL SYMBOLS: ISO 1101 SURFACES: ISO 1302				THIRD ANGLE PROJECTION DIMENSIONS ARE SHOWN IN mm [INCHES] UNLESS OTHERWISE NOTED											
STANDARD SHOP PRACTICES AND STANDARD SHOP TOLERANCES PER DRAWING 201724		DE-BURR ALL EDGES 0.5 [0,020] MAX		LOCATION OK		SCALE FULL		SIZE A2		DRAWING NO. CL2250-EC12MS1		SHEET NO. 1 OF 1		REV	