








Technical drawing of a rectangular plate with the following dimensions and specifications:

- Overall width: 6.75 [171.5]
- Overall height: 2.55 [64.8]
- Distance from left edge to center of first hole: 0.44 [11.1]
- Distance between centers of first and second holes: 5.88 [149.2]
- Distance from left edge to center of third hole: 0.88 [22.2]
- Distance between centers of second and third holes: 5.00 [127.0]
- Distance from left edge to center of fourth hole: 1.56 [39.7]
- Distance between centers of third and fourth holes: 3.625 [92.08]
- Distance from left edge to center of fifth hole: 2.75 [69.9]
- Hole specifications: 0.41 [10.3] DIA THRU (2) HOLES and 3/8-16 UNC X 0.63 [15.9] DP (2) THD HOLES
- Distance from right edge to center of first hole: 1.81 [46.0]
- Distance from right edge to center of second hole: 0.91 [23.0] TYP
- Distance from right edge to center of third hole: 2.02 [51.3]



		SYM		REVISION				BY DATE		APVD			
		BY		DATE		<div><p>222 WEST MEMORIAL ROAD OKLAHOMA CITY, OK 73114 TEL: 405.755.1600 FAX: 405.755.8425 WWW.MAXCESSINTL.COM</p></div> <div></div>							
		DRAWN		LZ								08/16/10	
		CHECKED		LZ								06/15/12	
		APPROVED		LZ								06/15/12	
DRAWING REFERENCE				NUMBER				TITLE					
TOLERANCES UNLESS OTHERWISE SPECIFIED				THIS DRAWING IS THE PROPERTY OF FIFE CORPORATION. IT IS LOANED WITH THE UNDERSTANDING THAT IT MAY NOT BE REPRODUCED NOR MAY THE INFORMATION CONTAINED HEREIN BE USED FOR THE MAKING OF DRAWINGS OR FOR MANUFACTURING PURPOSES WITHOUT THE WRITTEN CONSENT OF FIFE CORPORATION.				MAGPOWR OUTLINE DIMENSION DRAWING UNDER PILLOW BLOCK LOAD CELL FOR LIVE SHAFT ROLLS, SIZE 1 50 LB [22.7 KG]					
INCHES				X = ±1 XX = ±0.05 XXX = ±0.010				MM X = ±2.5 XX = ±0.8 XXX = ±2					
FRACTIONS = STOCK SIZE				GEOMETRICAL SYMBOLS PER ANSI Y14.5M UNLESS OTHERWISE SPECIFIED				DIMENSIONS ARE SHOWN IN INCHES (mm) UNLESS OTHERWISE NOTED					
SURFACE FINISH				STANDARD SHOP PRACTICES AND STANDARD SHOP RUN TOLERANCES PER DRAWING 40400				THIRD ANGLE PROJECTION					
EXPOSED 250 AA				MACHINED 125 AA				SCALE					
DE-BURR ALL EDGES 0.020 (0.5) MAX				OK				SIZE					
								DRAWING NO.					
								TSU1-50-L					
								SHEET NO.					
								1 OF 1					
								REV					