




NO. REQD		LIST OF MATERIAL					
ITEM NO.	M	K	PART NO.	DESCRIPTION	MATERIAL	REMARKS	
203653-	001			JUNCTION BOX ASSY			
1	1		86069-001	ENCLOSURE			
3	2		90784-009	RECEPTACLE, REAR MOUNT, 8 CONTACT		SEE DETAIL	
5	3		90958-001	LABEL, METALIZED		SEE NOTE (1.)	
	4						
2	5		22409-001	HOOK-UP WIRE, 24 AWG X 4.0" LG		BLACK	
2	6		22409-002	HOOK-UP WIRE, 24 AWG X 4.0" LG		TAN	
2	7		22409-004	HOOK-UP WIRE, 24 AWG X 4.0" LG		RED	
2	8		22409-007	HOOK-UP WIRE, 24 AWG X 4.0" LG		YELLOW	
1	9		22409-010	HOOK-UP WIRE, 24 AWG X 4.0" LG		BLUE	
2	10		22409-011	HOOK-UP WIRE, 24 AWG X 4.0" LG		VIOLET	
2	11		22409-012	HOOK-UP WIRE, 24 AWG X 4.0" LG		GRAY	
1	12		22409-013	HOOK-UP WIRE, 24 AWG X 4.0" LG		WHITE	
22	13		12331-005	HEAT SHRINKABLE TUBING, 3/32 I.D. X 0.4" LG		SEE NOTE (3.)	



NOTE:

- MARK EACH LABEL WITH INFORMATION AS SHOWN IN THE ASSEMBLY DETAIL ABOVE.
- JUNCTION BOX IS TO BE PRE-WIRED PER WIRING DIAGRAM ON THIS DRAWING. ALL WIRING TO BE CONNECTED USING 24 AWG HOOK-UP WIRE (ITEMS 5 THRU 12).
- HEAT SHRINKABLE TUBING (ITEM 13) TO BE USED ON ALL WIRES, EACH CONNECTOR.



REAR VIEW OF RECEPTACLE (ITEM 2)

DERIVATION CDP-01 VTB-20		85276-001		TITLE WAS DMAX SCALE WAS FULL ECR #66798		MW 07/21/06	KF 07/21/06
DRAWING REFERENCE		NUMBER		BY DATE		APVD	
TOLERANCES: UNLESS OTHERWISE SPECIFIED		This drawing is the property of FIFE CORPORATION. It is loaned with the understanding that it may not be reproduced nor may the information contained herein be used for the making of drawings or for manufacturing purposes without the written consent of FIFE CORPORATION.		DRAWN KF 08/23/05		MAGPOWR Fidland	
INCHES .X = ±.1 .XX = ±.03 .XXX = ±.010		MM X = ±2.5 .X = ±.8 .XX = ±.2		CHECKED JY 05/23/05		222 WEST MEMORIAL ROAD (73114-2317) POST OFFICE BOX 26508 OKLAHOMA CITY, OK 73126-0508, U.S.A. PHONE: (405) 755-1600 FAX: (405) 755-8425	
FRACTIONS = STOCK SIZE		GEOMETRICAL SYMBOLS PER ANSI Y14.5M UNLESS OTHERWISE SPECIFIED		APPROVED KF 08/23/05		TITLE FIFE VTB-20A JUNCTION BOX ASSEMBLY SENSORS TO D-MAX CONTROLLER	
SURFACE FINISH EXPOSED 250 AA MACHINED 125 AA DE-BURR ALL EDGES 0.020 [0.5] MAX		STANDARD SHOP PRACTICES AND STANDARD SHOP RUN TOLERANCES PER DRAWING 40400		LOCATION OK		SCALE 3/4 SIZE C	
DRAWING NO. 203653		SHEET NO. 1 OF 1		REV A			